

Scientific References:

1. Barnes J. A randomised, controlled trial with internal pilot of a weight loss maintenance intervention for obese adults after clinically significant weight loss [Internet]. <http://www.isrctn.com/ISRCTN14657176>. ISRCTN, London, UK; 2014 [cited 2014 Mar 20]. Available from: <http://www.isrctn.com/ISRCTN14657176>
2. Yacout D, McMahon A. Review: The effects of contemporary behavioural weight loss maintenance interventions for long term weight loss: a systematic review. *Journal of Research in Nursing* [Internet]. 2015 Sep 8 [cited 2015 Sep 8];20. Available from: <http://jrn.sagepub.com/cgi/doi/10.1177/1744987115599901>
3. Apovian C. Comparison of Strategies for Sustaining Weight Loss: The Weight Loss Maintenance Randomized Controlled Trial. *Yearbook of Endocrinology* [Internet]. 2008. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S0084374108792291>
4. Metzgar CJ, Preston AG, Miller DL, Nickols-Richardson SM. Facilitators and Barriers to Weight Loss and Weight Loss Maintenance Questionnaire [Internet]. *PsycTESTS Dataset*. APA; 2016 [cited 2016 Jul 11]. Available from: <http://doi.apa.org/getdoi.cfm?doi=10.1037/t51373-000>
5. Lionett S, Dandanell S, Dela F, Helge JW. [Effect of lifestyle changes on weight loss and weight loss maintenance]. *Ugeskrift for laeger* [Internet]. 178. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27808049>
6. Calugi S, Marchesini G, El Ghoch M, Gavasso I, Dalle Grave R. The Influence of Weight-Loss Expectations on Weight Loss and of Weight-Loss Satisfaction on Weight Maintenance in Severe Obesity. *Journal of the Academy of Nutrition and Dietetics* [Internet]. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27780692>
7. Orchard TJ. The effect of rosiglitazone on overweight subjects with type 1 diabetes. *Diabetes care* [Internet]. 29:746–7; author reply 747. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/16526120>
8. Mengham L, Morris B, Palmer C, White A. Is intensive dietetic intervention effective for overweight patients with diabetes mellitus? A randomized controlled study in a general practice: Is intensive dietetic intervention effective for overweight patients with diabetes mellitus? *Practical Diabetes International* [Internet]. 16. Available from: <http://doi.wiley.com/10.1002/pdi.1960160107>
9. Pirkola J, Pouta A, Bloigu A, Hartikainen A-L, Laitinen J, Järvelin M-R, et al. Risks of overweight and abdominal obesity at age 16 years associated with prenatal exposures to maternal prepregnancy overweight and gestational diabetes mellitus. *Diabetes care* [Internet]. 33:1115–21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20427685>
10. Sarrafan-Chaharsoughi Z. The High Prevalence of Overweight and Obesity in Patients with Diabetes Mellitus in Yazd. *Journal of Diabetes and Obesity* [Internet]. 2013 [cited 2013];2. Available from: <http://www.ommegaonline.org/article-details/The-High-Prevalence-of-Overweight-and-Obesity-in-Patients-with-Diabetes-Mellitus-in-Yazd/413>
11. Schreiner B. Promoting Lifestyle and Behavior Change in Overweight Children and Adolescents With Type 2 Diabetes. *Diabetes Spectrum* [Internet]. 2005 Jan 1 [cited 2005 Jan 1];18. Available from: <http://spectrum.diabetesjournals.org/cgi/doi/10.2337/diaspect.18.1.9>
12. Weisnagel SJ, D'Amours M, Dubé M-C. Eating Behaviors and Indexes of Body Composition in Overweight Adults with Type 1 Diabetes. *Canadian Journal of Diabetes* [Internet]. 39. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S1499267115006887>
13. Wannamethee SG, Shaper AG. Weight change and duration of overweight and obesity in

- the incidence of type 2 diabetes. *Diabetes care* [Internet]. 22:1266–72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10480769>
14. Bruno R, Petrella E, Bertarini V, Pedrielli G, Neri I, Facchinetti F. Adherence to a lifestyle programme in overweight/obese pregnant women and effect on gestational diabetes mellitus: a randomized controlled trial: Lifestyle, overweight and gestational diabetes. *Maternal & Child Nutrition* [Internet]. 2014 [cited 2014]; Available from: <http://doi.wiley.com/10.1111/mcn.12333>
 15. Wing RR, Venditti E, Jakicic JM, Polley BA, Lang W. Lifestyle intervention in overweight individuals with a family history of diabetes. *Diabetes care* [Internet]. 21:350–9. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/9540015>
 16. Berchtold P, Berger M, Gries FA. [Overweight and diabetes (author's transl)]. *Therapeutische Umschau Revue therapeutique* [Internet]. 33:741–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/1013917>
 17. Wechowski JW. Cost-effectiveness of screening for pre-diabetes among overweight and obese U.S. adults: response to Hoerger et al. *Diabetes care* [Internet]. 31:e34; author reply e35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18445714>
 18. Lee JM, Woolford S, Herman WH, Clark SJ. Does childhood overweight, parental perception of overweight, or family history of diabetes mellitus increase parental perception of type 2 diabetes risk for their child? *Journal of pediatric endocrinology & metabolism: JPEM* [Internet]. 23:267–70. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20480725>
 19. Kyrou I, Kumar S. Weight management in overweight and obese patients with type 2 diabetes mellitus. *The British Journal of Diabetes & Vascular Disease* [Internet]. 2010 Dec 21 [cited 2010 Dec 21];10. Available from: <http://dvd.sagepub.com/cgi/doi/10.1177/1474651410388976>
 20. HUNDLEY JM. Diabetes; overweight: U. S. problems. *Journal of the American Dietetic Association* [Internet]. 32:417–22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/13318881>
 21. Elizabeth A.C S. Overweight and Obesity in Pediatric Type 1 Diabetes. *Canadian Journal of Diabetes* [Internet]. 32. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S1499267108240815>
 22. Raynor HA, Jeffery RW, Ruggiero AM, Clark JM, Delahanty LM, Look AHEAD (Action for Health in Diabetes) Research Group. Weight loss strategies associated with BMI in overweight adults with type 2 diabetes at entry into the Look AHEAD (Action for Health in Diabetes) trial. *Diabetes care* [Internet]. 31:1299–304. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18375417>
 23. Tayek JA. Is weight loss a cure for type 2 diabetes? *Diabetes care* [Internet]. 25:397–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11815518>
 24. Sweeney E. Weight-loss programs for people with diabetes. *Diabetes self-management* [Internet]. 29:50, 52, 54–50, 52, 55. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/22978021>
 25. Gage D. Weight loss/maintenance as an effective tool for controlling type 2 diabetes: novel methodology to sustain weight reduction. *Diabetes/metabolism research and reviews* [Internet]. 28:214–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/22215481>
 26. Funnell MM. Diabetes update: From the American Diabetes Association: Preventing Type 2 diabetes with weight loss and exercise. *The Nurse Practitioner* [Internet]. :10. Available from: <http://content.wkhealth.com/linkback/openurl?sid=WKPTLP:landingpage&an=00006205-200306002-00004>
 27. Delahanty LM, Pan Q, Jablonski KA, Aroda VR, Watson KE, Bray GA, et al., Diabetes Prevention Program Research Group. Effects of weight loss, weight cycling, and weight

- loss maintenance on diabetes incidence and change in cardiometabolic traits in the Diabetes Prevention Program. *Diabetes care* [Internet]. 37:2738–45. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25024396>
28. Henry RR, Wallace P, Olefsky JM. Effects of weight loss on mechanisms of hyperglycemia in obese non-insulin-dependent diabetes mellitus. *Diabetes* [Internet]. 35:990–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/3527829>
 29. Funnell MM. Diabetes update: From the American Diabetes Association: Preventing Type 2 diabetes with weight loss and exercise. *Nursing Management (Springhouse)* [Internet]. 34. Available from: <http://content.wkhealth.com/linkback/openurl?sid=WKPTLP:landingpage&an=00006247-200306001-00004>
 30. Franz MJ. Is weight loss the best lifestyle intervention for type 2 diabetes? Current diabetes reports [Internet]. 4:361–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15461901>
 31. Bedno SA. Weight loss in diabetes management. *Nutrition in clinical care: an official publication of Tufts University* [Internet]. 6:62–72. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/14692294>
 32. Lotfi K, Palmer K, Apovian CM. Case Study: Weight loss in a patient with type 2 diabetes: Challenges of diabetes management. *Obesity (Silver Spring, Md)* [Internet]. 23 Suppl 1:S11–2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25900868>
 33. Brown SA, Upchurch S, Anding R, Winter M, Ramirez G. Promoting weight loss in type II diabetes. *Diabetes care* [Internet]. 19:613–24. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/8725861>
 34. Delahanty LM. Evidence-Based Trends for Achieving Weight Loss and Increased Physical Activity: Applications for Diabetes Prevention and Treatment. *Diabetes Spectrum* [Internet]. 2002 Jul 1 [cited 2002 Jul 1];15. Available from: <http://spectrum.diabetesjournals.org/cgi/doi/10.2337/diaspect.15.3.183>
 35. Franz MJ. The Dilemma of Weight Loss in Diabetes. *Diabetes Spectrum* [Internet]. 2007 Jul 1 [cited 2007 Jul 1];20. Available from: <http://spectrum.diabetesjournals.org/cgi/doi/10.2337/diaspect.20.3.133>
 36. Held NA. Weight loss strategies in diabetes. *Connecticut medicine* [Internet]. 55:647–51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/1790698>
 37. Weight loss helps type 2 diabetes patients. *Disease management advisor* [Internet]. 14:11–2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19025166>
 38. Weight loss and exercise in type 2 diabetes. *AWHONN lifelines* [Internet]. 5:59. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11982247>
 39. Weight loss surgery puts diabetes in remission. *The Johns Hopkins medical letter health after 50* [Internet]. 20:3, 7. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18711830>
 40. Fujioka K. Benefits of moderate weight loss in patients with type 2 diabetes. *Diabetes, obesity & metabolism* [Internet]. 12:186–94. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20151995>
 41. Gebel E. Shortcut to a “cure”? The skinny on weight-loss surgery and type 2 diabetes. *Diabetes forecast* [Internet]. 63:44–51. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20373589>
 42. Cicero AFG. Weight loss and blood pressure normalization: the relevance of early interventions in hypertension. *Hypertension research: official journal of the Japanese Society of Hypertension* [Internet]. 33:195–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20075935>
 43. Holzgreve H. [Weight loss prevents hypertension]. *MMW Fortschritte der Medizin* [Internet]. 147:22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/16281780>

44. Resnick L. Effect of modest weight loss on arterial compliance in essential hypertension. *American Journal of Hypertension* [Internet]. 14. Available from: [https://academic.oup.com/ajh/article-lookup/doi/10.1016/S0895-7061\(01\)01457-1](https://academic.oup.com/ajh/article-lookup/doi/10.1016/S0895-7061(01)01457-1)
45. Ten years after bariatric surgery: weight loss sustained, diabetes and hypertension reversed. *The Journal of family practice* [Internet]. 54:204, 206. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/15755371>
46. HYPERTENSION and weight loss in childhood. *United States Armed Forces medical journal* [Internet]. 10:69–84. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/13625446>
47. DICKER D. The relationship between hypertension reduction and different weight loss programs. *American Journal of Hypertension* [Internet]. 15. Available from: [https://academic.oup.com/ajh/article-lookup/doi/10.1016/S0895-7061\(02\)02809-1](https://academic.oup.com/ajh/article-lookup/doi/10.1016/S0895-7061(02)02809-1)
48. Yeo S. Effects of exercise and weight loss on hypertension. *JAMA* [Internet]. 290:886; author reply 886–886; author reply 887. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/12928460>
49. Reisin E. Weight loss maintenance: an excellent approach to control hypertension but a difficult goal to reach. *Current hypertension reports* [Internet]. 11:83–4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19278595>
50. DEROSA M, CHIAROLANZA C, ESPOSITO M, CHIARIELLO M. Obesity, weight loss and hypertension. *American Journal of Hypertension* [Internet]. 18. Available from: <https://academic.oup.com/ajh/article-lookup/doi/10.1016/j.amjhyper.2005.03.537>
51. Effects of weight loss and sodium reduction intervention on blood pressure and hypertension incidence in overweight people with high-normal blood pressure. *The Trials of Hypertension Prevention, phase II. The Trials of Hypertension Prevention Collaborative Research Group. Archives of internal medicine* [Internet]. 157:657–67. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/9080920>
52. &NA; LONG-TERM WEIGHT LOSS AND CHANGES IN BLOOD PRESSURE: RESULTS OF THE TRIALS OF HYPERTENSION PREVENTION, PHASE II]. *Journal of Cardiopulmonary Rehabilitation* [Internet]. 21. Available from: <http://content.wkhealth.com/linkback/openurl?sid=WKPTLP:landingpage&an=00008483-200105000-00013>
53. McCarthy WJ, Arpawong TE, Dietsch BJ, Yancey AK. Effects of exercise and weight loss on hypertension. *JAMA* [Internet]. 290:885; author reply 886–885; author reply 887. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/12928458>
54. Cheng TO. Effects of Exercise and Weight Loss on Hypertension. *JAMA: The Journal of the American Medical Association* [Internet]. 2003 Aug 20 [cited 2003 Aug 20];290. Available from: <http://jama.ama-assn.org/cgi/doi/10.1001/jama.290.7.886-b>
55. Dyer J. DRUGS AND WEIGHT LOSS STILL KEY TO MANAGING MILD HYPERTENSION. *AJN, American Journal of Nursing* [Internet]. 91. Available from: <http://content.wkhealth.com/linkback/openurl?sid=WKPTLP:landingpage&an=00000446-199106000-00010>
56. Beilin LJ, Burke V, Puddey IB. Effects of exercise and weight loss on hypertension. *JAMA* [Internet]. 290:887; author reply 887–887; author reply 888. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/12928461>
57. McIlwaine G, Lueck C. Weight loss in idiopathic intracranial hypertension. *Ophthalmology* [Internet]. 106:2232–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10599647>
58. Aoi W, Ueda Y, Tanigawa M. [Effect of weight loss on the reduction of blood pressure in obesity hypertension--hyperinsulinemia and renal sodium retention]. *Nihon Jinzo Gakkai shi* [Internet]. 34:1177–82. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/1294771>
59. Mainous AG, Diaz VA, Koopman RJ, Everett CJ. Having a regular physician and attempted weight loss after screening for hypertension or hypercholesterolemia. *International journal*

- of obesity (2005) [Internet]. 29:223–7. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/15558075>
60. Shih H, Gartner JC. Weight loss, hypertension, weakness, and limb pain in an 11-year-old boy. *The Journal of pediatrics* [Internet]. 138:566–9. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/11295722>
 61. Greenwood D, Reynolds C. Pre-diabetes, weight loss and well being. *Canadian Journal of Diabetes* [Internet]. 2007 [cited 2007];33. Available from:
<http://linkinghub.elsevier.com/retrieve/pii/S1499267109331731>
 62. Coles LT, Fletcher EA, Galbraith CE, Clifton PM. Patient freedom to choose a weight loss diet in the treatment of overweight and obesity: a randomized dietary intervention in type 2 diabetes and pre-diabetes. *The international journal of behavioral nutrition and physical activity* [Internet]. 2014 May 16 [cited 2014 May 16];11:64. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24886191>
 63. Norris SL, Zhang X, Avenell A, Gregg E, Bowman B, Schmid CH, et al. Long-term effectiveness of weight-loss interventions in adults with pre-diabetes: a review. *American journal of preventive medicine* [Internet]. 28:126–39. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/15626569>
 64. Crawford R, Glover L. The impact of pre-treatment weight-loss expectations on weight loss, weight regain, and attrition in people who are overweight and obese: a systematic review of the literature. *British journal of health psychology* [Internet]. 17:609–30. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/22151728>
 65. Brown WA, Moszkowicz J, Brennan L, Burton PR, Anderson M, O'Brien PE. Pre-operative weight loss does not predict weight loss following laparoscopic adjustable gastric banding. *Obesity surgery* [Internet]. 23:1611–5. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/23636997>
 66. LaRose JG, Lanoye A, Tate DF, Wing RR. Frequency of self-weighing and weight loss outcomes within a brief lifestyle intervention targeting emerging adults: Self-weighing in emerging adults. *Obesity Science & Practice* [Internet]. 2016 Mar 1 [cited 2016 Mar 1];2. Available from: <http://doi.wiley.com/10.1002/osp4.24>
 67. Chang BPI, Webb TL, Benn Y. Why Do People Act Like the Proverbial Ostrich? Investigating the Reasons That People Provide for Not Monitoring Their Goal Progress. *Frontiers in Psychology* [Internet]. 2017 Feb 8 [cited 2017 Feb 8];8. Available from:
<http://journal.frontiersin.org/article/10.3389/fpsyg.2017.00152/full>
 68. Benn Y, Webb TL, Chang BPI, Harkin B. What is the psychological impact of self-weighing? A meta-analysis. *Health Psychology Review* [Internet]. 2016 Apr 2 [cited 2016 Apr 2];10:187–203. Available from:
<http://www.tandfonline.com/doi/abs/10.1080/17437199.2016.1138871>
 69. LaRose JG, Fava JL, Steeves EA, Hecht J, Wing RR, Raynor HA. Daily self-weighing within a lifestyle intervention: impact on disordered eating symptoms. *Health psychology: official journal of the Division of Health Psychology, American Psychological Association* [Internet]. 2014 Mar 18 [cited 2014 Mar 18];33:297–300. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/24245845>
 70. Burke LE, Wang J, Sevick MA. Self-monitoring in weight loss: a systematic review of the literature. *Journal of the American Dietetic Association* [Internet]. 2011 Jan 1 [cited 2011 Jan 1];111:92–102. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21185970>
 71. Zheng Y, Klem ML, Sereika SM, Danford CA, Ewing LJ, Burke LE. Self-weighing in weight management: a systematic literature review. *Obesity (Silver Spring, Md)* [Internet]. 2015 Feb 17 [cited 2015 Feb 17];23:256–65. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/25521523>
 72. Shieh C, Knisely MR, Clark D, Carpenter JS. Self-weighing in weight management

- interventions: A systematic review of literature. *Obesity research & clinical practice* [Internet]. 10:493–519. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26896865>
73. Steinberg DM, Tate DF, Bennett GG, Ennett S, Samuel-Hodge C, Ward DS. The efficacy of a daily self-weighing weight loss intervention using smart scales and e-mail. *Obesity* (Silver Spring, Md) [Internet]. 2013 Sep 2 [cited 2013 Sep 2];21:1789–97. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23512320>
 74. Teixeira PJ, Silva MN, Mata J, Palmeira AL, Markland D. Motivation, self-determination, and long-term weight control. *The international journal of behavioral nutrition and physical activity* [Internet]. 2012 Mar 2 [cited 2012 Mar 2];9:22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/22385818>
 75. Stroebele N, de Castro JM, Stuh J, Catenacci V, Wyatt HR, Hill JO. A Small-Changes Approach Reduces Energy Intake in Free-Living Humans. *Journal of the American College of Nutrition* [Internet]. 2009 Feb 1 [cited 2009 Feb 1];28:63–8. Available from: <http://www.tandfonline.com/doi/abs/10.1080/07315724.2009.10719763>
 76. VanWormer JJ, Linde JA, Harnack LJ, Stovitz SD, Jeffery RW. Self-weighing frequency is associated with weight gain prevention over 2 years among working adults. *International journal of behavioral medicine* [Internet]. 19:351–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/21732212>
 77. Lombard C, Harrison C, Teede H. Self-weighing in conjunction with a low intensity intervention supports weight gain prevention in women. *Obesity Research & Clinical Practice* [Internet]. 7. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S1871403X14004384>
 78. Linde JA, Jeffery RW, French SA, Pronk NP, Boyle RG. Self-weighing in weight gain prevention and weight loss trials. *Annals of behavioral medicine: a publication of the Society of Behavioral Medicine* [Internet]. 30:210–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/16336072>
 79. Pacanowski CR, Bertz FC, Levitsky DA. Daily Self-Weighing to Control Body Weight in Adults: A Critical Review of the Literature. *SAGE open* [Internet]. 4:1–16. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27127719>
 80. Clifford S. Effectiveness of regular weighing and feedback by community midwives in preventing excessive gestational weight gain: randomised controlled trial. (POPS 2) [Internet]. <http://isrctn.org/>. ISRCTN, London, UK; 2014 [cited 2014 Oct 29]. Available from: <http://www.isrctn.com/ISRCTN67427351>
 81. Madigan CD, Jolly K, Lewis AL, Aveyard P, Daley AJ. A randomised controlled trial of the effectiveness of self-weighing as a weight loss intervention. *The international journal of behavioral nutrition and physical activity* [Internet]. 2014 Oct 10 [cited 2014 Oct 10];11:125. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25301251>
 82. Steinberg DM, Bennett GG, Askew S, Tate DF. Weighing every day matters: daily weighing improves weight loss and adoption of weight control behaviors. *Journal of the Academy of Nutrition and Dietetics* [Internet]. 115:511–8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25683820>
 83. Madigan C. The effect of self-weighing as a weight loss intervention [Internet]. <http://isrctn.org/>. ISRCTN, London, UK; 2012 [cited 2012 Dec 6]. Available from: <http://www.isrctn.com/ISRCTN05815264>
 84. Carrard I, Kruseman M. Qualitative analysis of the role of self-weighing as a strategy of weight control for weight-loss maintainers in comparison with a normal, stable weight group. *Appetite* [Internet]. 105:604–10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27374738>
 85. Pacanowski CR, Levitsky DA. Frequent Self-Weighing and Visual Feedback for Weight Loss in Overweight Adults. *Journal of obesity* [Internet]. 2015:763680. Available from:

- <http://www.ncbi.nlm.nih.gov/pubmed/26064677>
86. Madigan CD, Aveyard P, Jolly K, Denley J, Lewis A, Daley AJ. Regular self-weighing to promote weight maintenance after intentional weight loss: a quasi-randomized controlled trial. *Journal of public health (Oxford, England)* [Internet]. 36:259–67. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/23753256>
 87. ZOLER ML. Daily Weighing Helps Maintain Weight Loss. *Internal Medicine News* [Internet]. 42. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S1097869009704299>
 88. Oshima Y, Matsuoka Y, Sakane N. Effect of weight-loss program using self-weighing twice a day and feedback in overweight and obese subject: a randomized controlled trial. *Obesity research & clinical practice* [Internet]. 7:e361–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24304478>
 89. VanWormer JJ, Martinez AM, Martinson BC, Crain AL, Benson GA, Cosentino DL, et al. Self-weighing promotes weight loss for obese adults. *American journal of preventive medicine* [Internet]. 36:70–3. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/18976879>
 90. Madigan CD, Daley AJ, Lewis AL, Aveyard P, Jolly K. Is self-weighing an effective tool for weight loss: a systematic literature review and meta-analysis. *The international journal of behavioral nutrition and physical activity* [Internet]. 12:104. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26293454>
 91. Sandon L. 10-week Worksite Weight-loss Program Increases Self-efficacy and Self-regulation for Weight Management Behaviors. *Journal of the Academy of Nutrition and Dietetics* [Internet]. 116. Available from: <http://linkinghub.elsevier.com/retrieve/pii/S2212267216304221>
 92. Madigan CD, Jolly K, Roalfe A, Lewis AL, Webber L, Aveyard P, et al. Study protocol: the effectiveness and cost effectiveness of a brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: randomised controlled trial (The LIMIT Study). *BMC public health* [Internet]. 2015 Jun 4 [cited 2015 Jun 4];15:530. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26041653>
 93. Soleymani T, Daniel S, Garvey WT. Weight maintenance: challenges, tools and strategies for primary care physicians. *Obesity reviews: an official journal of the International Association for the Study of Obesity* [Internet]. 17:81–93. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26490059>
 94. West DS, Gorin AA, Subak LL, Foster G, Bragg C, Hecht J, et al., Program to Reduce Incontinence by Diet and Exercise (PRIDE) Research Group. A motivation-focused weight loss maintenance program is an effective alternative to a skill-based approach. *International journal of obesity (2005)* [Internet]. 35:259–69. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20680012>
 95. Leermakers EA, Perri MG, Shigaki CL, Fuller PR. Effects of exercise-focused versus weight-focused maintenance programs on the management of obesity. *Addict Behav* [Internet]. 1997 [cited 1997];24:219–27. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/10336103>
 96. Cunningham E. What impact does water consumption have on weight loss or weight loss maintenance? *Journal of the Academy of Nutrition and Dietetics* [Internet]. 114:2084. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25458752>
 97. Wadden TA, Hollander P, Klein S, Niswender K, Woo V, Hale PM, et al. Weight maintenance and additional weight loss with liraglutide after low-calorie-diet-induced weight loss: The SCALE Maintenance randomized study. *International journal of obesity (2005)* [Internet]. 37:1514. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/?term=23999156>
 98. Robertson S, Davies M, Winefield H. Positive psychological correlates of successful weight maintenance in Australia: Weight loss maintenance. *Clinical Psychologist* [Internet]. :n/a –

n/a. Available from: <http://doi.wiley.com/10.1111/cp.12073>

99. Weight loss maintenance: Predictors of successful weight loss maintenance: a qualitative comparative analysis. *British dental journal* [Internet]. 217:525. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25377822>
100. Williamson DF. Weight loss and mortality in persons with type-2 diabetes mellitus: a review of the epidemiological evidence. *Experimental and clinical endocrinology & diabetes: official journal, German Society of Endocrinology [and] German Diabetes Association* [Internet]. 1996 [cited 1996];106 Suppl 2:14–21. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/9792476>
101. Pi-Sunyer FX. Weight loss and mortality in type 2 diabetes. *Diabetes care* [Internet]. 23:1451–2. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/11023134>
102. Kuller LH. Weight loss and reduction of blood pressure and hypertension. *Hypertension (Dallas, Tex: 1979)* [Internet]. 54:700–1. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/19704102>